

# MATERIAL SAFETY DATA SHEET

PortionPac® Chemical Corporation  
400 N. Ashland Avenue, Chicago, IL 60622-6382  
Voice: 312/226-0400 Fax: 312/226-5400  
Internet: www.portionpaccorp.com

**24 HOUR EMERGENCY  
RESPONSE PHONE:  
1-800-535-5053**

• **SECTION 01 IDENTIFICATION**  
**MSDS NO. QX200 DATE: August 2004**

TRADE NAME: **Germicidal Detergent No. QX201, QX202, QX204, QX205 & QX264**

**NOTE:** CAS Registry numbers are not applicable to formulated products. EPA Reg. No. 8722-2 EPA Est. No. 8722-IL-1

• **SECTION 02 PHYSICAL & HEALTH HAZARDOUS INGREDIENTS**

Hazardous Material as defined by 29 CFR 1910.1200 Reportable under CERCLA or SARA TITLE III Sec. 304 Regulations.

Common Name:	ethanolamine, MEA, monoethanolamine	CAS# 141-43-5
Chemical Name:	monoethanolamine, 2-aminoethanol	
Hazard % in Formula:	in concentrate: 7.95% in working/use solution: 0.031%	
Hazard Reference:	3 ppm ACGIH 85/86 Ref. (1) Sec. IX LD <sub>50</sub> rats 10.2g/Kg J. Ind. Hyg. Toxicol 23. 259 (1941)	

Common Name:	butyl cellosolve, Poly Solv EB	CAS# 111-76-2
Chemical Name:	2-butoxyethanol	
Hazard % in Formula:	in concentrate: 2.0% in working/use solution: 0.008%	
Hazard Reference:	50 ppm OSHA PEL 25 ppm ACGIH TLV IDLH 700ppm	

• **SECTION 02A OTHER INGREDIENTS NOT CONSIDERED HAZARDOUS IN FORMULATION**

**NOTE:** Germicidal detergents contain germicidally active agents. By definition, these agents are biologically active so that they can kill bacteria and viruses on contact. Even though they are not listed by OSHA et al. as hazardous materials, safe handling procedures and common sense should be used.

water	CAS# 7732-18-5	
alkyl dimethyl benzyl ammonium chloride	CAS# 68424-85-1	
dioctyl dimethyl ammonium chloride	}	CAS# 68424-95-3
didecyl dimethyl ammonium chloride		
octyl decyl dimethyl ammonium chloride	CAS# 9016-45-09	
nonylphenoxy poly(ethyleneoxy)ethanol	CAS# 7320-34-5	
tetrapotassium pyrophosphate	CAS# 64-02-8	
EDTA	n.a.	
trace colorant		

• **SECTION 03 PHYSICAL & CHEMICAL CHARACTERISTICS**

Boiling Point:	190 deg. F.
Vapor Pressure:	19 mm Hg
Vapor Density (air=1):	not determined.
Water Solubility:	complete.
Melting/Freezing Point:	< 0 deg. F.
Appearance:	Red liquid, slightly more viscous than water.
Specific Grav. (water=1):	1.056
Percentage Volatile in Concentrate:	Approx. 65% due to water in formulation.
Evaporation Rate:	Much slower than 1 (n-butyl acetate = 1)
pH:	in concentrate: 12.5 ± .2 in working/use solution: 9.6 ± .3
Odor:	Fresh, antiseptic odor.

• **SECTION 04 PHYSICAL HAZARD DATA**

Flash Point:	214 deg. F. Closed cup.
Flammable Limits:	Not determined.
Fire Fighting Media:	Water spray, CO <sub>2</sub> , dry chemical. Treat primary cause of fire.
Special Fire Fighting Procedures:	None known.
Fire/Explosion Hazards:	No special hazards known.

• **SECTION 05 REACTIVITY DATA**

Stability:	Stable.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	Long exposure to materials containing copper, aluminum and strong oxidizing agents.
Incompatible Materials:	Strong oxidizing or reducing agents.
Hazardous Decomposition Products:	If heated to decomposition CO, CO <sub>2</sub> , NO <sub>x</sub> and ammonia may be produced.

• **SECTION 06 HEALTH HAZARD DATA**

Oral Toxicity: Not determined for formulation.  
Carcinogenicity: None of the individual materials in this formulation are listed as carcinogens in NTP, IARC Monographs, or are OSHA regulated carcinogens.

• **SECTION 07 SYMPTOMS OF OVEREXPOSURE**

Symptoms of Ingestion: When concentrate is ingested, immediate burning pain in the mouth, throat, abdomen and possible severe swelling of the larynx. Possible skeletal muscle paralysis affecting the ability to breath with circulatory shock if large quantities are ingested. Possible convulsions. May cause red blood cell hemolysis and possible liver and kidney injury. May be fatal.  
Symptoms of Inhalation: If misted in concentrated form, which is improper use, can cause irritation of mucous membrane, nose, eye and throat.  
Symptoms of Skin Contact: May cause dermatitis of irritation in some individuals upon prolonged contact. Localized skin defatting can be expected from concentrated material on long contact. Harmful if absorbed through skin.  
Symptoms of Eye Contact: Corrosive in concentrate. Causes painful stinging or burning of eyes and lids, watering of eye, conjunctivitis, and in concentrated undiluted form may cause opaqueness of cornea, possibly leading to loss of sight. Corrosive.

• **SECTION 08 EMERGENCY FIRST AID PROCEDURES**

For Ingestion: Do not induce vomiting. Immediately drink large quantity of water. If vomiting occurs, give fluids again. NEVER give anything to an unconscious person. Call a Physician. Possible mucosal damage may contraindicate the use of gastric lavage.  
For Skin: As for all foreign materials, wash off with water. Remove clothing, which has been saturated by concentrate. Do not allow prolonged contact with the concentrated undiluted material as toxic amounts could be absorbed. Decontaminate affected clothing and shoes.  
For Eyes: Corrosive in concentrate. PROMPTLY flush with large amounts of water occasionally lifting the lower and upper lids. Call a physician if irritation persists.  
Medical Conditions  
Aggravated by Exposure: No data found.

• **SECTION 09 OCCUPATIONAL CONTROL PROCEDURES**

Ventilation: Use with adequate ventilation. Working solution should not present any hazard. If misted or aerosol generated, local or mechanical exhaust recommended to maintain vapor concentration below TLV. This level should not be reached under normal working conditions.  
Respiratory Protection: Not required under normal working/use conditions.  
Eye Protection: EPA recommends use of eye protection.  
Skin Protection: EPA recommends use of gloves to handle Germicidal products.  
Personal Hygiene: As in handling any detergent, wash thoroughly after using.

• **SECTION 10 PRECAUTIONS FOR SAFE HANDLING STORAGE AND USE**

Precautionary Measures: Avoid contact with eyes and prolonged contact of concentrate with skin. Avoid breathing misted vapors. Use with adequate ventilation. Do not store at elevated temperatures.  
Spills Clean-up Procedures: Concentrated materials are packaged in small bags limiting any spills to very small quantities. Paper toweling or mopping is usually sufficient.  
Disposal Method: Bags should be triple rinsed before disposal.  
Food Contamination: Foods contaminated by germicides should be discarded and utensils, etc., should be rinsed with potable water before use.

• **GENERAL NOTE ABOUT PRODUCTS**

PortionPac® Germicidal detergent formulation is not substantially different from any other commercially available germicides. The unique packaging of these materials in unit dosed bags limits the amount of exposure of the concentrate to very small amounts. These can be cleaned up with paper toweling or plain mopping. These are in fact products for mopping as well as other maintenance chores requiring disinfectants. We know of no serious hazards associated with the proper use and handling of this product.  
PortionPac Chemical Corporation makes no warranty, expressed or implied, as to the accuracy, completeness or reliability of this information, except that such information is, to the best of our knowledge and belief, accurate as of the date indicated.

**24-HOUR EMERGENCY RESPONSE PHONE: 1-800-535-5053**  
**MSDS QX200 REVISED: 08/04**

